

FIGURE



CRI > 80

DIMMERABILE / DIMMABLE

Vai a pagina / Go to page 74

DIFFUSORE / DIFFUSER

Policarbonato satinato
Satin polycarbonate



2161/PL40

W 21 - Vac 230

Lm 2.800
M 2.700°K
C 3.000°K - W 4.000°K

H 55 mm
Ø 400 mm

DIMMERABILE / DIMMABLE

2161/PL40 - D4

Taglio di fase / Phase Cut

2161/PL40 - D6

1-10V - DALI - PUSH

2161/PL40 - D7

ZigBee

2161/PL40 - D8

CASAMBI



2161/PL50

W 21 - Vac 230

Lm 2.800
M 2.700°K
C 3.000°K - W 4.000°K

H 55 mm
Ø 500 mm

DIMMERABILE / DIMMABLE

2161/PL50 - D4

Taglio di fase / Phase Cut

2161/PL50 - D6


1-10V - DALI - PUSH

2161/PL50 - D7

ZigBee

2161/PL50 - D8

CASAMBI



2161/PL60

W 26 - Vac 230

Lm 3.400
M 2.700°K
C 3.000°K - W 4.000°K

H 55 mm
Ø 600 mm

DIMMERABILE / DIMMABLE

2161/PL60 - D4

Taglio di fase / Phase Cut

2161/PL60 - D6


1-10V - DALI - PUSH

2161/PL60 - D7

ZigBee

2161/PL60 - D8

CASAMBI



2161/PL75

W 42 - Vac 230

Lm 5.600
M 2.700°K
C 3.000°K - W 4.000°K

H 55 mm
Ø 750 mm

DIMMERABILE / DIMMABLE

2161/PL75 - D4

Taglio di fase / Phase Cut

2161/PL75 - D6

1-10V - DALI - PUSH

2161/PL75 - D7

ZigBee

2161/PL75 - D8

CASAMBI

10
Bianco
White



13
Foglia Argento
Silver Leaf



14
Foglia Oro
Gold Leaf



19
Nero
Black



22
Foglia rame
Copper leaf



23
Ruggine
Rust



24
Ferro
Iron



27
Ossidato
Oxydized



29
Alluminio Spaz.
Brushed Alum.



30
Gunmetal



31
Rosé Spaz.
Brushed Rosé



32
Bronzo Spaz.
Brush. Bronze



33
Oro Spaz.
Brush. Gold



36
Champagne Spaz.
Brush. Champagne



SPECCHIO / MIRROR

Solo/Only **PL50**

90
Specchio
Mirror





FIGURE



CRI > 80

DIMMERABILE / DIMMABLE

Vai a pagina / Go to page 74

DIFFUSORE / DIFFUSER

Policarbonato satinato
Satin polycarbonate



2162/PL40

W 21 - Vac 230

Lm 2.800
M 2.700°K
C 3.000°K - W 4.000°K

H 55 mm
L 400 x 400 mm

DIMMERABILE / DIMMABLE

2162/PL40 - D4

Taglio di fase / Phase Cut

2162/PL40 - D6

1-10V - DALI - PUSH

2162/PL40 - D7

ZigBee

2162/PL40 - D8

CASAMBI



2162/PL50

W 21 - Vac 230

Lm 2.800
M 2.700°K
C 3.000°K - W 4.000°K

H 55 mm
L 500 x 500 mm

DIMMERABILE / DIMMABLE

2162/PL50 - D4

Taglio di fase / Phase Cut

2162/PL50 - D6


1-10V - DALI - PUSH

2162/PL50 - D7

ZigBee

2162/PL50 - D8

CASAMBI



2162/PL60

W 26 - Vac 230

Lm 3.400
M 2.700°K
C 3.000°K - W 4.000°K

H 55 mm
L 600 x 600 mm

DIMMERABILE / DIMMABLE

2162/PL60 - D4

Taglio di fase / Phase Cut

2162/PL60 - D6


1-10V - DALI - PUSH

2162/PL60 - D7

ZigBee

2162/PL60 - D8

CASAMBI



2162/PL75

W 42 - Vac 230

Lm 5.600
M 2.700°K
C 3.000°K - W 4.000°K

H 55 mm
L 750 x 750 mm

DIMMERABILE / DIMMABLE

2162/PL75 - D4

Taglio di fase / Phase Cut

2162/PL75 - D6

1-10V - DALI - PUSH

2162/PL75 - D7

ZigBee

2162/PL75 - D8

CASAMBI

10
Bianco
White



13
Foglia Argento
Silver Leaf



14
Foglia Oro
Gold Leaf



19
Nero
Black



22
Foglia rame
Copper leaf



23
Ruggine
Rust



24
Ferro
Iron



27
Ossidato
Oxydized



29
Alluminio Spaz.
Brushed Alum.



30
Gunmetal



31
Rosé Spaz.
Brushed Rosé



32
Bronzo Spaz.
Brush. Bronze



33
Oro Spaz.
Brush. Gold



36
Champagne Spaz.
Brush. Champagne



SPECCHIO / MIRROR

Solo/Only PL50

90
Specchio
Mirror



FIGURE

CRI > 80

DIMMERABILE / DIMMABLE

Vai a pagina / Go to page 74

DIFFUSORE / DIFFUSER

Policarbonato satinato
Satin polycarbonate



28



2161/PL50

W 21 - Vac 230

Lm 2.800

M 2.700°K

C 3.000°K - W 4.000°K

H 55 mm

Ø 500 mm

DIMMERABILE / DIMMABLE

2161/PL50 - D4

Taglio di fase / Phase Cut

2161/PL50 - D6


1-10V - DALI - PUSH

2161/PL50 - D7

ZigBee

2161/PL50 - D8

CASAMBI



2162/PL50

W 21 - Vac 230

Lm 2.800

M 2.700°K

C 3.000°K - W 4.000°K

H 55 mm

L 500 x 500 mm

DIMMERABILE / DIMMABLE

2162/PL50 - D4

Taglio di fase / Phase Cut

2162/PL50 - D6

1-10V - DALI - PUSH

2162/PL50 - D7

ZigBee

2162/PL50 - D8

CASAMBI

SPECCHIO / MIRROR

Solo / Only 50 cm

90

Specchio
Mirror

