

Charme

156




2156/S + 2146/PL5

BRAGA LED








2156/S

1 x max 10W GX53 LED 
Ø 155 mm
H 320 mm
L CAVO / CABLE 3.000 mm



2156/S2

1 x max 10W GX53 LED 
Ø 210 mm
H 400 mm
L CAVO / CABLE 3.000 mm

V5
Cromo
Chrome

V6
Bronzo
Bronze

V7
Viola
Purple


V9
Oro
Gold

V10
Rame
Copper



V4
Trasparente
Transparent





2147/150

L 1.500
L2 30 mm
H 47 mm

Numero di fori per sospensioni su richiesta / Number of holes for pendants on request



2147/50

L 500 mm
L2 30 mm
H 47 mm

2147/100


L 1.000 mm
L2 30 mm
H 47 mm

2147/200

L 2.000 mm
L2 30 mm
H 47 mm

2147/250


L 2.500 mm
L2 30 mm
H 47 mm



2146/PL30


Ø 300 mm
H 37 mm

160




2146/PL3

Ø 440 mm
H 60 mm




2146/PL4

Ø 440 mm
H 60 mm




2146/PL5

Ø 440 mm
H 60 mm



2146/PL7

Ø 560 mm
H 60 mm




2146/PL11

Ø 700 mm
H 60 mm




2146/N

Ø 20 mm
H 15 mm




2146/A

Ø 120 mm
SP 150 mm




2146/R1

Ø 105 mm
H 30 mm



2146/R6

Ø 140 mm
H 30 mm



2146/R12

Ø 175 mm
H 30 mm

Rosone per collegamento da 2 a 6
Canopy for connection from 2 to 6

Rosone per collegamento da 2 a 12
Canopy for connection from 2 to 12




Ø

Rosone da incasso
Recessed canopy
Max 3,2 Kg


2146/R35

Ø 45 mm
H 35 mm
Ø 35 mm




2145/PL50/3

L 530 x 300 mm
H 45 mm




2145/PL80/5

L 800 x 500 mm
H 45 mm



2145/PL80/7

L 800 x 500 mm
H 45 mm



2145/PL110/11

L 1.100 x 500 mm
H 45 mm

10
Bianco
White



